

# SUPER MINI SPIRAL



Bulb/Base	Watts	Item	Description	Lumens	Volts	Hours	Color	Kelvin	Mol	Pkg.	Features
<b>Medium (E26)</b>	<b>5</b>	<b>00703-SU</b>	SMS5F/27K	300	120	10,000	Warm White	2700K	2.91"	24/48	
		<b>00634-SU</b>	SMS7/27K	430	120	10,000	Warm White	2700K	2.85"	48	
	<b>9</b>	<b>00638-SU</b>	SMS9/27K	500	120	10,000	Warm White	2700K	3.60"	24	
		<b>00639-SU</b>	SMS9/41K	500	120	10,000	Cool White	4100K	3.60"	24	
	<b>11</b>	<b>00723-SU</b>	SMS11/27K	800	120	10,000	Warm White	2700K	3.94"	24/48	
		<b>00643-SU</b>	SMS11/65K	600	120	10,000	Daylight	6500K	3.83"	24/48	
<b>Candelabra (E12)</b>	<b>13</b>	<b>00816-SU</b>	SMS13/E/27K/E12	800	120	10,000	Warm White	2700K	3.93"	24/48	
<b>Medium (E26)</b>	<b>13</b>	<b>00607-SU</b>	SMS13/E/27K/CD4	900	120	10,000	Warm White	2700K	4.10"	6/12	
		<b>00805-SU</b>	SMS13/E/27K	900	120	10,000	Warm White	2700K	3.97"	24/48	
		<b>00612-SU</b>	SMS13/27K/E/CD1	900	120	10,000	Warm White	2700K	4.18"	24/48	
	<b>13</b>	<b>00699-SU</b>	SMS13/30K	900	120	10,000	Warm Whit	3000K	4.16"	24/48	
		<b>00707-SU</b>	SMS13/41K	900	120	10,000	Cool White	4100K	3.78"	24/48	
		<b>00806-SU</b>	SMS13/50K	900	120	10,000	Super White	5000K	4.02"	24/48	
		<b>00807-SU</b>	SMS13/65K	900	120	10,000	Daylight	6500K	3.95"	24/48	
		<b>00608-SU</b>	SMS13/65K/CD4	900	120	10,000	Daylight	6500K	4.10"	6/12	
		<b>00815-SU</b>	SMS13/65K/CD1	900	120	10,000	Daylight	6500K	4.02"	24/48	
<b>Medium (E26)</b>	<b>18</b>	<b>00811-SU</b>	SMS18/E/27K	1250	120	10,000	Warm White	2700K	4.44"	24	
		<b>00684-SU</b>	SMS18/41K	1200	120	10,000	Cool White	4100K	4.21"	24/48	
		<b>00685-SU</b>	SMS18F/50K	1200	120	10,000	Super White	5000K	4.21"	24/48	
		<b>00649-SU</b>	SMS18/65K/CD1	1200	120	10,000	Daylight	6500K	4.37"	24/48	
		<b>00686-SU</b>	SMS18/65K	1200	120	10,000	Daylight	6500K	3.34"	24/48	
<b>Medium (E26)</b>	<b>23</b>	<b>00820-SU</b>	SMS23/E/27K	1600	120	10,000	Warm White	2700K	4.88"	24/48	
		<b>00829-SU</b>	SMS23/E/27K/CD1	1600	120	10,000	Warm White	2700K	4.72"	24	
		<b>00688-SU</b>	SMS23/41K	1600	120	10,000	Cool White	4100K	4.70"	24/48	
		<b>00621-SU</b>	SMS23/50K	1600	120	10,000	Super White	5000K	4.53"	24/48	
		<b>00697-SU</b>	SMS23/65K	1600	120	10,000	Daylight	6500K	4.74"	24/48	
		<b>00826-SU</b>	SMS23/65K/CD1	1600	120	10,000	Daylight	6500K	4.66"	24/48	
<b>Medium (E26)</b>	<b>26</b>	<b>00672-SU</b>	SMS26F/27K	1800	120	10,000	Warm White	2700K	5.27"	24/48	
		<b>00632-SU</b>	SMS26/41K	1800	120	10,000	Cool White	4100K	2.45"	24/48	
		<b>00714-SU</b>	SMS26/50K	1800	120	10,000	Super White	5000K	4.84"	24/48	
		<b>00633-SU</b>	SMS26/65K	1800	120	10,000	Daylight	6500K	4.75"	24/48	



## GU24 SPRIAL

Bulb/Base	Watts	Item	Description	Lumens	Volts	Hours	Color	Kelvin	Mol	Pkg.	Features
<b>GU24</b>	<b>11</b>	<b>00650-SU</b>	SL11/E/GU24/27K	700	120	10,000	Warm White	2700K	3.72"	24/48	
		<b>00655-SU</b>	SL13/E/GU24/27K	900	120	10,000	Warm White	2700K	3.90"	24/48	
	<b>13</b>	<b>00787-SU</b>	SL13/GU24/41K	900	120	10,000	Cool White	4100K	3.90"	24/48	
		<b>00789-SU</b>	SL13/GU24/50K	900	120	10,000	Super White	5000K	3.50"	24/48	
	<b>18</b>	<b>00660-SU</b>	SL18/E/GU24/27K	1250	120	10,000	Warm White	2700K	4.50"	60/120	
		<b>00792-SU</b>	SL18/GU24/41K	1100	120	10,000	Cool White	4100K	4.20"	24/48	
		<b>00791-SU</b>	SL18/GU24/50K	1100	120	10,000	Super White	5000K	2.40"	24/48	
		<b>00665-SU</b>	SL23/E/GU24/27K	1600	120	10,000	Warm White	2700K	4.06"	24/48	
	<b>23</b>	<b>00798-SU</b>	SL23/GU24/41K	1600	120	10,000	Cool White	4100K	4.06"	24/48	
		<b>00793-SU</b>	SL23/GU24/50K	1550	120	10,000	Super White	5000K	2.30"	24/48	
	<b>27</b>	<b>05494-SU</b>	SL27/GU24/27K	1700	120	10,000	Warm White	2700K	4.90"	48	

## 3 WAY SPIRAL



Bulb/Base	Watts	Item	Description	Lumens	Volts	Hours	Color	Kelvin	Mol	Pkg.	Features
<b>Medium (E26)</b>	<b>13-20-25</b>	<b>05379-SU</b>	SL25/3W/E/27K/CD1	900-1200-1600	120	8,000	Warm White	2700K	6.07"	12/24	

## COLORED MINI SPIRAL



Bulb/Base	Watts	Item	Description	Lumens	Volts	Hours	Color	Kelvin	Mol	Pkg.	Features
<b>Medium (E26)</b>	<b>20</b>	<b>05439-SU</b>	SL20/BLB	-	120	8,000	Black Light Blue	N/A	5.61"	12/24	
		<b>05501-SU</b>	SM13/B	N/A	120	8,000	Blue	N/A	4.44"	24/48	
	<b>13</b>	<b>05502-SU</b>	SM13/G	N/A	120	8,000	Green	N/A	4.45"	24/48	
		<b>05505-SU</b>	SM13/R	N/A	120	10,000	Red	N/A	4.50"	24/48	
		<b>05503-SU</b>	SM13/Y	N/A	120	8,000	Yellow	N/A	4.50"	24/48	

## COLORED SPIRAL



Bulb/Base	Watts	Item	Description	Lumens	Volts	Hours	Color	Kelvin	Mol	Pkg.	Features
<b>Medium (E26)</b>	<b>24</b>	<b>05511-SU</b>	SL24/B	N/A	120	8,000	Blue	N/A	5"	24/48	
		<b>05512-SU</b>	SL24/G	N/A	120	8,000	Green	N/A	5"	24/48	
		<b>05513-SU</b>	SL24/R	N/A	120	8,000	Red	N/A	5"	24/48	
		<b>05514-SU</b>	SL24/Y	N/A	120	8,000	Yellow	N/A	5"	24/48	



## DIMMABLE SPIRAL

Bulb/Base	Watts	Item	Description	Lumens	Volts	Hours	Color	Kelvin	Mol	Pkg.	Features
Medium (E26)	18	05468-SU	SL18/27K/D	1200	120	10,000	Warm White	2700K	5.28"	12/24	■
	20	05467-SU	SL20/27K/D	1350	120	10,000	Warm White	2700K	5.46"	12/24	■
	23	05479-SU	SL23/27K/D	1600	120	10,000	Warm White	2700K	5.73"	12/24	■



## PURION AIR PURIFICATION SPIRAL

Bulb/Base	Watts	Item	Description	Lumens	Volts	Hours	Color	Kelvin	Mol	Pkg.	Features
Medium (E26)	15	05568-SU	AP15/30K	900	120	10,000	Warm White	3000K	5.49"	12/24	
		05569-SU	AP15/65K	900	120	10,000	Daylight	6500K	5.32"	12/24	
	23	05571-SU	AP23/30K	1500	120	10,000	Warm White	3000K	5.90"	12/24	
		05572-SU	AP23/65K	1500	120	10,000	Daylight	6500K	5.78"	12/24	

## HIGH WATTAGE SPIRAL



Bulb/Base	Watts	Item	Description	Lumens	Volts	Hours	Color	Kelvin	Mol	Pkg.	Features
Medium (E26)	32	05545-SU	SL32/27K	2250	120	8,000	Warm White	2700K	5.35"	24/48	
		05546-SU	SL32/65K	2030	120	8,000	Daylight	6500K	5.64"	24/48	
	42	05596-SU	SL42/27K	2800	120	12000	Warm White	2700K	6.90"	24/48	
		05597-SU	SL42/65K	2400	120	12000	Daylight	6500K	6.89"	24/48	
	65	05516-SU	SL65/27K/MED	4300	120	10,000	Warm White	2700K	9.32"	6	
		05579-SU	SL65/30K/MED	3400	120	8,000	Warm White	3000K	9.65"	6/12	
		05515-SU	SL65/41K/MED	3600	120	10,000	Cool White	4100K	9.55"	6/12	
		05517-SU	SL65/50K/MED	3400	120	8,000	Super White	5000K	9.45"	6/12	
		05577-SU	SL65/65K/MED	3400	120	8,000	Daylight	6500K	9.60"	6/12	
Mogul (E39)	65	05518-SU	SL65/27K/MOG	4300	120	10,000	Warm White	2700K	9.88"	6/12	
		05578-SU	SL65/65K/MOG	3400	120	8,000	Daylight	6500K	9.85"	6/12	
Medium (E26)	85	05528-SU	SL85/27K/MED	5700	120	10,000	Warm White	2700K	9.89"	6	
		05529-SU	SL85/30K/MED/277V	4200	277	8,000	Warm White	3000K	10.52"	6/12	▲
	85	05581-SU	SL85/30K/MED	4200	120	8,000	Warm White	3000K	10.56"	6/12	
		05523-SU	SL85/50K/MED	4200	120	8,000	Super White	5000K	10.65"	6/12	
		05580-SU	SL85/65K/MED	4200	120	8,000	Daylight	6500K	10.70"	6/12	
05535-SU	SL85/65K/MED/277V	4200	277	8,000	Daylight	6500K	10.70"	6/12	▲		
Mogul (E39)	85	05598-SU	SL85/65K/MOG	4200	120	8,000	Daylight	6500K	11.10"	6/12	

# HIGH WATTAGE SPIRAL (CONTINUED)

Bulb/Base	Watts	Item	Description	Lumens	Volts	Hours	Color	Kelvin	Mol	Pkg.	Features
<b>Medium (E26)</b>	<b>105</b>	<b>05588-SU</b>	<b>SL105/30K/MED</b>	5000	120	8,000	Warm White	3000K	10.97"	6/12	
		<b>05537-SU</b>	<b>SL105/30K/277V</b>	5000	277	8,000	Warm White	3000K	11.00"	6/12	▲
		<b>05555-SU</b>	<b>SL105/41K/MED</b>	7000	120	10,000	Cool White	4100K	10.68"	6/12	
		<b>05542-SU</b>	<b>SL105/41K/MED/277V</b>	5000	277	8,000	Cool White	4100K	10.77"	6/12	▲
		<b>05527-SU</b>	<b>SL105/50K/MED</b>	5000	120	8,000	Super White	5000K	11.46"	6/12	
		<b>05593-SU</b>	<b>SL105/65K/MED</b>	5000	120	8,000	Daylight	6500K	11.50"	6/12	
<b>Mogul (E39)</b>	<b>105</b>	<b>05544-SU</b>	<b>SL105/30K/MOG/277V</b>	5000	277	8,000	Warm White	3000K	11.30"	6/12	▲
		<b>05552-SU</b>	<b>SL105/30K/MOG</b>	5000	120	8,000	Warm White	3000K	11.37"	6/12	
		<b>05563-SU</b>	<b>SL105/41K/MOG/277V</b>	5000	277	8,000	Cool White	4100K	11.90"	6/12	▲
		<b>05557-SU</b>	<b>SL105/41K/MOG</b>	5000	120	8,000	Cool White	4100K	11.86"	6/12	
		<b>05567-SU</b>	<b>SL105/65K/MOG/277V</b>	5000	277	8,000	Daylight	6500K	12.10"	6/12	▲
		<b>05559-SU</b>	<b>SL105/65K/MOG</b>	5000	120	8,000	Daylight	6500K	12.09"	6/12	



# SUPER HIGH WATTAGE SPIRAL

Bulb/Base	Watts	Item	Description	Lumens	Volts	Hours	Color	Kelvin	Mol	Pkg.	Features
<b>Mogul (E39)</b>	<b>150</b>	<b>05582-SU</b>	<b>SL150/27K/MOG</b>	7900	120	8,000	Warm White	2700K	13.38"	6	
		<b>05601-SU</b>	<b>SL150/50K/MOG</b>	7660	120	8,000	Super White	5000K	13.27"	6	
	<b>200</b>	<b>05587-SU</b>	<b>SL200/27K/MOG</b>	9500	120	8,000	Warm White	2700K	14.19"	6	
		<b>05602-SU</b>	<b>SL200/50K/MOG</b>	9200	120	8,000	Super White	5000K	14.19"	6	



# CHANDELIER | TOPERDO

Bulb/Base	Watts	Item	Description	Lumens	Volts	Hours	Color	Kelvin	Mol	Pkg.	Features
<b>Candelabra (E12)</b>	<b>7</b>	<b>05299-SU</b>	<b>SLC7/27K</b>	340	120	10,000	Warm White	2700K	4.66"	12/24	
		<b>05290-SU</b>	<b>SLC7TW/30K</b>	280	120	8,000	Warm White	3000K	4.79"	12/24	
<b>Medium (E26)</b>	<b>7</b>	<b>05293-SU</b>	<b>SLM7TW/27K</b>	280	120	8,000	Warm White	2700K	4.99"	12/24	
		<b>05296-SU</b>	<b>SLM7/27K</b>	340	120	10,000	Warm White	2700K	4.73"	12/24	
<b>Candelabra (E12)</b>	<b>14</b>	<b>65701-SU</b>	<b>SLC14TW/27K</b>	620	120	8,000	Warm White	2700K	5.37"	12/24	
		<b>65700-SU</b>	<b>SLC14TW/30K</b>	620	120	8,000	Warm White	3000K	5.41"	12/24	
		<b>65710-SU</b>	<b>SLC14TW/65K</b>	620	120	8,000	Daylight	6500K	5.41"	12/24	
<b>Medium (E26)</b>	<b>14</b>	<b>65751-SU</b>	<b>SLM14TW/27K</b>	620	120	8,000	Warm White	2700K	5.60"	12/24	
		<b>65760-SU</b>	<b>SLM14TW/65K</b>	620	120	8,000	Daylight	6500K	5.66"	12/24	



# GLOBE MEDIUM BASE (E26)

Bulb/Base	Watts	Item	Description	Lumens	Volts	Hours	Color	Kelvin	Mol	Pkg.	Features
<b>G25</b>		<b>05348-SU</b>	<b>SLG9/27K</b>	410	120	8,000	Warm White	2700K	4.33"	12/24	
	<b>9</b>	<b>05345-SU</b>	<b>SLG9/G25/30K</b>	360	120	8,000	Warm White	3000K	5.15"	12/24	
		<b>05346-SU</b>	<b>SLG9/G25/65K</b>	360	120	8,000	Daylight	6500K	5.13"	12/24	
<b>14</b>	<b>05340-SU</b>	<b>SLG14/27K</b>	800	120	8,000	Warm White	2700K	4.26"	12/24		
<b>G30</b>	<b>15</b>	<b>05350-SU</b>	<b>SLG15/G30/30K</b>	670	120	8,000	Warm White	3000K	5.86"	12/24	
		<b>05318-SU</b>	<b>SLG15/G30/50K</b>	670	120	8,000	Super White	5000K	5.85"	12/24	
	<b>20</b>	<b>05355-SU</b>	<b>SLG20/G30/30K</b>	900	120	8,000	Warm White	3000K	5.82"	12/24	
		<b>05358-SU</b>	<b>SLG20/G30/50K</b>	900	120	8,000	Super White	5000K	5.86"	12/24	
	<b>25</b>	<b>05360-SU</b>	<b>SLG25/G30/27K</b>	1125	120	8,000	Warm White	3000K	6.11"	12/24	
		<b>05321-SU</b>	<b>SLG25/G30/50K</b>	1125	120	8,000	Super White	5000K	6.12"	12/24	
	<b>05370-SU</b>	<b>SLG25/G30/65K</b>	1125	120	8,000	Daylight	6500K	6.11"	12/24		
<b>G40</b>	<b>23</b>	<b>05359-SU</b>	<b>SLG23/G40/27K</b>	1300	120	8,000	Warm White	2700K	6.13"	12/24	



# COLORED GLOBE

Bulb/Base	Watts	Item	Description	Lumens	Volts	Hours	Color	Kelvin	Mol	Pkg.	Features
<b>Medium (E26)</b>	<b>9</b>	<b>05650-SU</b>	<b>SLG9/G21/B</b>	N/A	120	8,000	Blue	N/A	4.61"	24/48	
		<b>05660-SU</b>	<b>SLG9/G21/G</b>	N/A	120	8,000	Green	N/A	4.63"	24/48	
		<b>05680-SU</b>	<b>SLG9/G21/P</b>	N/A	120	8,000	Pink	N/A	4.60"	24/48	
		<b>05670-SU</b>	<b>SLG9/G21/R</b>	N/A	120	8,000	Red	N/A	4.60"	24/48	
		<b>05690-SU</b>	<b>SLG9/G21/Y</b>	N/A	120	8,000	Yellow	N/A	4.63"	24/48	

# JAR



Bulb/Base	Watts	Item	Description	Lumens	Volts	Hours	Color	Kelvin	Mol	Pkg.	Features
<b>Medium (E26)</b>	<b>14</b>	<b>05324-SU</b>	<b>SLJ14/27K</b>	800	120	8,000	Warm White	2700K	5.25"	12/24	
	<b>15</b>	<b>05326-SU</b>	<b>SLJ15/30K</b>	670	120	8,000	Warm White	3000K	6.59"	12/24	
	<b>20</b>	<b>05330-SU</b>	<b>SLJ20/30K</b>	900	120	8,000	Warm White	3000K	6.90"	12/24	

# TUBULAR



Bulb/Base	Watts	Item	Description	Lumens	Volts	Hours	Color	Kelvin	Mol	Pkg.	Features
<b>Medium (E26)</b>	<b>7</b>	<b>05295-SU</b>	<b>SL7T/27K</b>	340	120	10,000	Warm White	2700K	4.8"	12/24	



## A TYPE MEDIUM BASE (E26)

Bulb/Base	Watts	Item	Description	Lumens	Volts	Hours	Color	Kelvin	Mol	Pkg.	Features
<b>A15</b>	<b>9</b>	<b>05332-SU</b>	<b>SLB9/65K</b>	380	120	8,000	Daylight	6500K	4.25"	12/24	
	<b>11</b>	<b>05300-SU</b>	<b>SLB11/27K/CD1</b>	450	120	8,000	Warm White	2700K	6.14"	12	
<b>A19</b>	<b>14</b>	<b>05309-SU</b>	<b>SLB14/65K</b>	750	120	10,000	Daylight	6500K	4.84"	24/48	
	<b>20</b>	<b>05306-SU</b>	<b>SLB20/30K</b>	900	120	8,000	Warm White	3000K	6.35"	24/48	

## GU10 MINI REFLECTOR



Bulb/Base	Watts	Item	Description	Lumens	Volts	Hours	Color	Kelvin	Mol	Pkg.	Features
<b>GU10</b>	<b>7</b>	<b>05465-SU</b>	<b>SM7GU10/65K</b>	280	120	8,000	Daylight	6500K	2.90"	24/48	
	<b>9</b>	<b>05438-SU</b>	<b>SM9GU10/30K</b>	280	120	8,000	Warm White	3000K	2.90"	24/48	
		<b>05466-SU</b>	<b>SM9GU10/65K</b>	280	120	8,000	Daylight	6500K	3.26"	24/48	

## R20 REFLECTOR



Bulb/Base	Watts	Item	Description	Lumens	Volts	Hours	Color	Kelvin	Mol	Pkg.	Features
<b>Medium (E26)</b>	<b>9</b>	<b>05381-SU</b>	<b>SL9R20/27K</b>	320	120	8,000	Warm White	2700K	4.68"	12/24	
	<b>14</b>	<b>65765-SU</b>	<b>SL14R20/27K</b>	500	120	10,000	Warm White	2700K	4.88"	12/24	
		<b>65766-SU</b>	<b>SL14R20/65K</b>	460	120	10,000	Daylight	6500K	4.89"	12/24	

## R30 REFLECTOR



Bulb/Base	Watts	Item	Description	Lumens	Volts	Hours	Color	Kelvin	Mol	Pkg.	Features
<b>Medium (E26)</b>		<b>05397-SU</b>	<b>SL15R30/E/27K</b>	800	120	8,000	Warm White	2700K	5.76"	12/24	
		<b>05395-SU</b>	<b>SL15R30/30K</b>	600	120	8,000	Warm White	3000K	5.80"	12/24	
	<b>15</b>	<b>05383-SU</b>	<b>SL15R30/41K</b>	600	120	8,000	Cool White	4100K	5.85"	12/24	
		<b>05375-SU</b>	<b>SL15R30/50K</b>	600	120	8,000	Super White	5000K	5.85"	12/24	
		<b>05396-SU</b>	<b>SL15R30/65K</b>	600	120	8,000	Daylight	6500K	5.79"	12/24	

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100






## R40 REFLECTOR

Bulb/Base	Watts	Item	Description	Lumens	Volts	Hours	Color	Kelvin	Mol	Pkg.	Features
Medium (E26)	20	05393-SU	SL20R40/30K	800	120	8,000	Warm White	3000K	6.60"	12/24	
		05365-SU	SL20R40/50K	800	120	8,000	Super White	5000K	6.60"	12/24	
		05394-SU	SL20R40/65K	800	120	8,000	Daylight	6500K	6.64"	12/24	
	25	05385-SU	SL25R40/30K	1050	120	8,000	Warm White	3000K	7.00"	12/24	
		05387-SU	SL25R40/41K	1050	120	8,000	Cool White	4100K	7.03"	12/24	
		05334-SU	SL25R40/50K	1050	120	8,000	Super White	5000K	7.00"	12/24	
		05384-SU	SL25R40/65K	1050	120	8,000	Daylight	6500K	7.10"	12/24	

## R40 REFLECTOR COLORED



Bulb/Base	Watts	Item	Description	Lumens	Volts	Hours	Color	Kelvin	Mol	Pkg.	Features
Medium (E26)	25	05610-SU	SL25R40/G	N/A	120	8,000	Green	N/A	7.00"	12/24	
		05630-SU	SL25R40/P	N/A	120	8,000	Pink	N/A	7.05"	12/24	
		05620-SU	SL25R40/R	N/A	120	8,000	Red	N/A	7.1"	12/24	

## PAR20 ALUMINUM REFLECTOR



Bulb/Base	Watts	Item	Description	Lumens	Volts	Hours	Color	Kelvin	Mol	Pkg.	Features
Medium (E26)	9	00850-SU	SL9PAR20/AL/30K	345	120	8,000	Warm White	3000K	3.94"	12/24	
		00852-SU	SL9PAR20/AL/65K	317	120	8,000	Daylight	6500K	3.82"	24	

## PAR30 REFLECTOR



Bulb/Base	Watts	Item	Description	Lumens	Volts	Hours	Color	Kelvin	Mol	Pkg.	Features
Medium (E26)	15	05338-SU	SL15PAR30/30K	600	120	8,000	Warm White	3000K	4.60"	12/24	
		05353-SU	SL15PAR30/65K	600	120	8,000	Daylight	6500K	4.64"	12/24	

## PAR30 LONG NECK



Bulb/Base	Watts	Item	Description	Lumens	Volts	Hours	Color	Kelvin	Mol	Pkg.	Features
Medium (E26)	15	00860-SU	SL15PAR30L/AL/30K	750	120	8,000	Warm White	3000K	4.69"	12/24	



## PAR38 LONG NECK

Bulb/Base	Watts	Item	Description	Lumens	Volts	Hours	Color	Kelvin	Mol	Pkg.	Features
<b>Medium (E26)</b>	<b>20</b>	<b>05368-SU</b>	<b>SL20PAR38/65K</b>	800	120	8,000	Daylight	6500K	5.28"	12/24	
		<b>05335-SU</b>	<b>SL23PAR38/E/27K</b>	1200	120	10,000	Warm White	2700K	5.47"	12/24	
	<b>23</b>	<b>05329-SU</b>	<b>SL23PAR38/30K</b>	1050	120	8,000	Warm White	3000K	5.27"	12/24	
		<b>05373-SU</b>	<b>SL23PAR38/65K</b>	1050	120	8,000	Daylight	6500K	5.30"	12/24	



## COLORED PAR38 REFLECTOR

Bulb/Base	Watts	Item	Description	Lumens	Volts	Hours	Color	Kelvin	Mol	Pkg.	Features
<b>Medium (E26)</b>	<b>23</b>	<b>05362-SU</b>	<b>SL23PAR38/B</b>	N/A	120	8,000	Blue	N/A	5.40"	12/24	
		<b>05367-SU</b>	<b>SL23PAR38/G</b>	N/A	120	8,000	Green	N/A	5.40"	12/24	
		<b>05372-SU</b>	<b>SL23PAR38/R</b>	N/A	120	8,000	Red	N/A	5.22"	12/24	
		<b>05377-SU</b>	<b>SL23PAR38/Y</b>	N/A	120	8,000	Yellow	N/A	5.40"	12/24	

© 2014 Suntec Lighting Inc. All rights reserved.